





PubMed Nucleo	otide Protein	Genome	Structure	PopSet	Taxonomy	●MIM Bc
Search PubMed	for amyloid	AND beta AN	ID precurso	r AND fib	cil Go C	lear
	∡ Limits	Preview/Ind	dex His	itory	Clipboard	Details
	Limits: only items with abstracts, English					
	Display Summ	ary 🔻	Sort	Save Tex	d Clip Add	Order
Entrez PubMed	Show; 100	Item	ns 1-92 of 92			
lam () () () () () () () () () (The second secon					
1: McMahon BM, Stewart J, Fauq A, Younkin S, Younkin L, Richelson E. Rela						Related
	Using peptide nucleic acids as gene-expression modifiers to reduce beta-					e beta-amy
		sci. 2002 Aug-O 2797 [PubMed -		•		
PubMed Services	FWIID. 12212	2797 [Publyleu -	iii processj		•	
	☐ 2: Kisilevsky R	Szarek WA.				Related
					loid agents part I	II.
		ci. 2002 Aug-O 2792 [PubMed -		0.		
	1 MID. 12212	. 192 [Fubivicu -	iii processj			
	3: Stein TD, Jol	nnson JA.				Related
	Lack of net	ırodegenerati	on in transge	nic mice ov	erexpressing mut	tant amyloic
Related Resources	protein is a	ssociated witl			sthyretin and the	
	survival pa	thways. 002 Sep 1;22(17	V.7290 0			
		5559 [PubMed -		EDLINE]		
				_		
	4: Gorman PM,	Chakrabartty A	<u>.</u>			Related
		beta-amyloid	peptides: stru	uctures of a	nyloid fibrils and	d alternate a
products. Biopolymers. 2001;60(5):381-94. Review.						
		148 [PubMed -		EDLINE]		
	5: Nichols MR, Rosenberry T		DK, Lin WL,	<u>Mukhopadhya</u>	y R, Hoh JH,	Related
	-		1-40) protofi	brils by mo	nomer elongation	n and latera
	Characteriz	ation of distin	nct products b	by light scat	tering and atomic	
		. 2002 May 14;4 007 [PubMed -				
	1 1/1111/1. 1 1 7 9 4	oo / [r dowicu -	mucaeu IOI IVIE	DUNE		
	☐ 6: Rocken C, Sh	akespeare A.				Related
		diagnosis and			yloidosis.	
		h. 2002 Feb;440				
	FMID: 11904	039 [PubMed -	maexea for ME	DLINE		
	☐ 7: Fagan AM, W	/atson M, Parsa	danian M. Bales	s KR, Paul SM	, Holtzman DM.	Related
						• • • •

Human and murine ApoE markedly alters A beta metabolism before and after formation in a mouse model of Alzheimer's disease.

Neurobiol Dis. 2002 Apr;9(3):305-18.

PMID: 11950276 [PubMed - indexed for MEDLINE]

Holton JL, Lashley T, Ghiso J, Braendgaard H, Vidal R, Guerin CJ, Gibb G, Hanger DP, Rostagno A, Anderton BH, Strand C, Ayling H, Plant G, Frangione B, Bojsen-Moller M, Revesz T.

Familial Danish dementia: a novel form of cerebral amyloidosis associated w deposition of both amyloid-Dan and amyloid-beta.

J Neuropathol Exp Neurol. 2002 Mar;61(3):254-67. PMID: 11895040 [PubMed - indexed for MEDLINE]

9: Van Nostrand WE, Melchor JP.

Related

Disruption of pathologic amyloid beta-protein fibril assembly on the surface human cerebrovascular smooth muscle cells.

Amyloid. 2001 Jul;8 Suppl 1:20-7.

PMID: 11676286 [PubMed - indexed for MEDLINE]

■ 10: Simons M, Keller P, Dichgans J, Schulz JB.

Related

Cholesterol and Alzheimer's disease: is there a link?

Neurology. 2001 Sep 25;57(6):1089-93.

PMID: 11571339 [PubMed - indexed for MEDLINE]

11: Van Nostrand WE, Melchor JP, Cho HS, Greenberg SM, Rebeck GW.

Related

Pathogenic effects of D23N Iowa mutant amyloid beta -protein.

J Biol Chem. 2001 Aug 31;276(35):32860-6.

PMID: 11441013 [PubMed - indexed for MEDLINE]

■ 12: Exley C, Korchazhkina OV.

Related

Promotion of formation of amyloid fibrils by aluminium adenosine triphosph J Inorg Biochem. 2001 Apr;84(3-4):215-24.

PMID: 11374584 [PubMed - indexed for MEDLINE]

☐ 13: Morgan C, Inestrosa NC.

Related

Interactions of laminin with the amyloid beta peptide. Implications for Alzheidisease.

Braz J Med Biol Res. 2001 May;34(5):597-601. Review.

PMID: 11323745 [PubMed - indexed for MEDLINE]

14: Walsh DM, Hartley DM, Condron MM, Selkoe DJ, Teplow DB.

Related

In vitro studies of amyloid beta-protein fibril assembly and toxicity provide c aetiology of Flemish variant (Ala692-->Gly) Alzheimer's disease.

Biochem J. 2001 May 1;355(Pt 3):869-77.

PMID: 11311152 [PubMed - indexed for MEDLINE]

15: <u>Dumery L, Bourdel F, Soussan Y, Fialkowsky A, Viale S, Nicolas P, Reboud-Ravaux M.</u>

Related

beta-Amyloid protein aggregation: its implication in the physiopathology of *i* disease.

Pathol Biol (Paris). 2001 Feb;49(1):72-85. Review.

PMID: 11265227 [PubMed - indexed for MEDLINE]

16: Inestrosa NC, Alvarez A, Godoy J, Reyes A, De Ferrari GV.	Related
Acetylcholinesterase-amyloid-beta-peptide interaction and Wnt signal Abeta neurotoxicity. Acta Neurol Scand Suppl. 2000;176:53-9. PMID: 11261806 [PubMed - indexed for MEDLINE]	aling inv
☐ 17: Pepys MB.	Related
Pathogenesis, diagnosis and treatment of systemic amyloidosis. Philos Trans R Soc Lond B Biol Sci. 2001 Feb 28;356(1406):203-10; discussion 2 PMID: 11260801 [PubMed - indexed for MEDLINE]	10-1. Rev
☐ 18: Rocken C, Stix B, Bromme D, Ansorge S, Roessner A, Buhling F.	Related
A putative role for cathepsin K in degradation of AA and AL amyloid Am J Pathol. 2001 Mar;158(3):1029-38. PMID: 11238051 [PubMed - indexed for MEDLINE]	dosis.
☐ 19: Yip CM, McLaurin J.	Related
Amyloid-beta peptide assembly: a critical step in fibrillogenesis and Biophys J. 2001 Mar;80(3):1359-71. PMID: 11222297 [PubMed - indexed for MEDLINE]	membra
☐ 20: Wengenack TM, Whelan S, Curran GL, Duff KE, Poduslo JF.	Related
Quantitative histological analysis of amyloid deposition in Alzheime	r's doubl
mouse brain. Neuroscience. 2000;101(4):939-44. PMID: 11113343 [PubMed - indexed for MEDLINE]	
21: Westermark GT, Steiner DF, Gebre-Medhin S, Engstrom U, Westermark P.	Related
Pro islet amyloid polypeptide (ProIAPP) immunoreactivity in the isle Ups J Med Sci. 2000;105(2):97-106. PMID: 11095107 [PubMed - indexed for MEDLINE]	ets of La
22: Poulsen SA, Watson AA, Fairlie DP, Craik DJ.	Related
Solution structures in aqueous SDS micelles of two amyloid beta per mutated at the alpha-secretase cleavage site (K16E, K16F). J Struct Biol. 2000 Jun;130(2-3):142-52. PMID: 10940222 [PubMed - indexed for MEDLINE]	tides of
23: McParland VJ, Kad NM, Kalverda AP, Brown A, Kirwin-Jones P, Hunter MG, Sunde M, Radford SE.	Related
Partially unfolded states of beta(2)-microglobulin and amyloid forma Biochemistry. 2000 Aug 1;39(30):8735-46. PMID: 10913285 [PubMed - indexed for MEDLINE]	tion in v
24: Roher AE, Baudry J, Chaney MO, Kuo YM, Stine WB, Emmerling MR.	Related
Oligomerizaiton and fibril asssembly of the mayloid-beta protein. Biochim Biophys Acta. 2000 Jul 26;1502(1):31-43. Review. PMID: 10899429 [PubMed - indexed for MEDLINE]	

☐ 25: Stevens FJ, Kisilevsky R. Immunoglobulin light chains, glycosaminoglycans, and amyloid. Cell Mol Life Sci. 2000 Mar;57(3):441-9. Review. PMID: 10823245 [PubMed - indexed for MEDLINE]	Related
☐ 26: Van Nostrand WE, Melchor J, Wagner M, Davis J. Cerebrovascular smooth muscle cell surface fibrillar A beta. Alterat environment in the cerebral vessel wall. Ann N Y Acad Sci. 2000 Apr;903:89-96. Review. PMID: 10818493 [PubMed - indexed for MEDLINE]	Related ion of the
27: Shoji M, Kawarabayashi T, Sato M, Sasaki A, Saido TC, Matsubara E, Tomidokoro Y, Kanai M, Shizuka M, Ishiguro K, Ikeda M, Harigaya Y, Okamoto K, Hirai S.	Related
Age-related amyloid beta protein accumulation induces cellular deat activation in transgenic mice. J Pathol. 2000 May;191(1):93-101. PMID: 10767725 [PubMed - indexed for MEDLINE]	h and ma
28: Melchor JP, Van Nostrand WE.	Related
Fibrillar amyloid beta-protein mediates the pathologic accumulation precursor in human cerebrovascular smooth muscle cells. J Biol Chem. 2000 Mar 31;275(13):9782-91. PMID: 10734132 [PubMed - indexed for MEDLINE]	
☐ 29: Harkany T, Hortobagyi T, Sasvari M, Konya C, Penke B, Luiten PG, Nyakas C. Neuroprotective approaches in experimental models of beta-amyloic relevance to Alzheimer's disease. Prog Neuropsychopharmacol Biol Psychiatry. 1999 Aug;23(6):963-1008. Review PMID: 10621945 [PubMed - indexed for MEDLINE]	l neuroto:
□ 30: Cappai R, White AR.	Related
Amyloid beta. Int J Biochem Cell Biol. 1999 Sep;31(9):885-9. Review. PMID: 10533280 [PubMed - indexed for MEDLINE]	
31: Lashuel HA, Wurth C, Woo L, Kelly JW.	Related
The most pathogenic transthyretin variant, L55P, forms amyloid fibre conditions and protofilaments under physiological conditions. Biochemistry. 1999 Oct 12;38(41):13560-73. PMID: 10521263 [PubMed - indexed for MEDLINE]	ils under
☐ 32: Harper JD, Wong SS, Lieber CM, Lansbury PT Jr.	Related
Assembly of A beta amyloid protofibrils: an in vitro model for a post Alzheimer's disease. Biochemistry. 1999 Jul 13;38(28):8972-80. PMID: 10413470 [PubMed - indexed for MEDLINE]	
33: Watson DJ, Selkoe DJ, Teplow DB.	Related
Effects of the amyloid precursor protein Glu693>Gln 'Dutch' muta	tion on tl

and stability of amyloid beta-protein. Biochem J. 1999 Jun 15;340 (Pt 3):703-9.

PMID: 10359654 [PubMed - indexed for MEDLINE]

134: Mizuno T, Nakata M, Naiki H, Michikawa M, Wang R, Haass C, Yanagisawa K. Related

Cholesterol-dependent generation of a seeding amyloid beta-protein in cell ct J Biol Chem. 1999 May 21;274(21):15110-4.

PMID: 10329717 [PubMed - indexed for MEDLINE]

35: Garcia-Garcia M, Argiles, Gouin-Charnet A, Durfort M, Garcia-Valero J, Mourad G.

Related

Impaired lysosomal processing of beta2-microglobulin by infiltrating macrop dialysis amyloidosis.

Kidney Int. 1999 Mar;55(3):899-906.

PMID: 10027926 [PubMed - indexed for MEDLINE]

36: Kirschner DA, Elliott-Bryant R, Szumowski KE, Gonnerman WA, Kindy MS, Sipe JD, Cathcart ES.

In vitro amyloid fibril formation by synthetic peptides corresponding to the auterminus of apoSAA isoforms from amyloid-susceptible and amyloid-resistar J Struct Biol. 1998 Dec 1;124(1):88-98.

PMID: 9931277 [PubMed - indexed for MEDLINE]

37: McLaurin J, Franklin T, Chakrabartty A, Fraser PE.

Related

Phosphatidylinositol and inositol involvement in Alzheimer amyloid-beta fib and arrest.

J Mol Biol. 1998 Apr 24;278(1):183-94.

PMID: 9571042 [PubMed - indexed for MEDLINE]

☐ 38: Olsen KE, Sletten K, Westermark P.

Related

Extended analysis of AL-amyloid protein from abdominal wall subcutaneous kappa IV immunoglobulin light chain.

Biochem Biophys Res Commun. 1998 Apr 28;245(3):713-6.

PMID: 9588180 [PubMed - indexed for MEDLINE]

☐ 39: Van Nostrand WE, Melchor JP, Ruffini L.

Related

Pathologic amyloid beta-protein cell surface fibril assembly on cultured huma cerebrovascular smooth muscle cells.

J Neurochem. 1998 Jan;70(1):216-23.

PMID: 9422365 [PubMed - indexed for MEDLINE]

40: Sunde M, Serpell LC, Bartlam M, Fraser PE, Pepys MB, Blake CC.

Related

Common core structure of amyloid fibrils by synchrotron X-ray diffraction. J Mol Biol. 1997 Oct 31;273(3):729-39.

PMID: 9356260 [PubMed - indexed for MEDLINE]

41: Kisilevsky R.

Related

Can deposition of amyloid be prevented in Alzheimer's disease? Ann N Y Acad Sci. 1997 Sep 26;826:117-27. Review.

PMID: 9329685 [PubMed - indexed for MEDLINE]

☐ 42: Verbeek MM, de Waal RM, Schipper JJ, Van Nostrand WE. Related
Rapid degeneration of cultured human brain pericytes by amyloid beta protein J Neurochem. 1997 Mar;68(3):1135-41. PMID: 9048759 [PubMed - indexed for MEDLINE]
☐ 43: Harper JD, Wong SS, Lieber CM, Lansbury PT. Related
Observation of metastable Abeta amyloid protofibrils by atomic force micros Chem Biol. 1997 Feb;4(2):119-25. PMID: 9190286 [PubMed - indexed for MEDLINE]
☐ 44: Blake C, Serpell L. Related
Synchrotron X-ray studies suggest that the core of the transthyretin amyloid f continuous beta-sheet helix. Structure. 1996 Aug 15;4(8):989-98. PMID: 8805583 [PubMed - indexed for MEDLINE]
45: Higgins LS, Murphy GM Jr, Forno LS, Catalano R, Cordell B. Related
P3 beta-amyloid peptide has a unique and potentially pathogenic immunohist profile in Alzheimer's disease brain. Am J Pathol. 1996 Aug;149(2):585-96. PMID: 8701997 [PubMed - indexed for MEDLINE]
46: Wegiel J, Chauhan A, Wisniewski HM, Nowakowski J, Wang KC, Le Vine H 3rd. Related
Promotion of synthetic amyloid beta-peptide fibrillization by cell culture mec cessation of fibrillization by serum. Neurosci Lett. 1996 Jun 28;211(3):151-4. PMID: 8817563 [PubMed - indexed for MEDLINE]
47: Kawarabayashi T, Shoji M, Sato M, Sasaki A, Ho L, Eckman CB, Prada CM, Younkin SG, Kobayashi T, Tada N, Matsubara E, Iizuka T, Harigaya Y, Kasai K, Hirai S.
Accumulation of beta-amyloid fibrils in pancreas of transgenic mice. Neurobiol Aging. 1996 Mar-Apr;17(2):215-22. PMID: 8744402 [PubMed - indexed for MEDLINE]
☐ 48: Liang JS, Fine RE, Abraham CR, Sipe JD. Related
The fibril forming region of the beta-amyloid precursor differs from that of the precursor in its interaction with lipids. Biochem Biophys Res Commun. 1996 Feb 27;219(3):962-7. PMID: 8645287 [PubMed - indexed for MEDLINE]
49: Frangione B, Castano EM, Wisniewski T, Ghiso J, Prelli F, Vidal R. Related
Apolipoprotein E and amyloidogenesis. Ciba Found Symp. 1996;199:132-41; discussion 141-5. PMID: 8915608 [PubMed - indexed for MEDLINE]
50: Benson MD, Kluve-Beckerman B, Liepnieks JJ, Murrell JR, Hanes D, Uemichi Related T.
Metabolism of amyloid proteins. Ciba Found Symp. 1996;199:104-13; discussion 113-8. PMID: 8915606 [PubMed - indexed for MEDLINE]

□51	: Janciauskiene S, Garcia de Frutos P, Carlemalm E, Dahlback B, Eriksson S.	Related Artic	les, Cited in PMC, B
	Inhibition of Alzheimer beta-peptide fibril for J Biol Chem. 1995 Nov 3;270(44):26041-4. PMID: 7592799 [PubMed - indexed for MEDLINE]	rmation by se	rum amyloid P cor
□ 52	Yanagisawa K, Odaka A, Suzuki N, Ihara Y.	Related Artic	les, Cited in PMC, B
	GM1 ganglioside-bound amyloid beta-protein Alzheimer's disease. Nat Med. 1995 Oct;1(10):1062-6. PMID: 7489364 [PubMed - indexed for MEDLINE]	ı (A beta): a p	ossible form of pr
□ 53	Tan SY, Pepys MB, Hawkins PN.	Related Artic	les, Cited in PMC, B
	Treatment of amyloidosis. Am J Kidney Dis. 1995 Aug;26(2):267-85. Review. PMID: 7645531 [PubMed - indexed for MEDLINE]		
□ 54	: Janciauskiene S, Carlemalm E, Eriksson S.		Related Articles, B
	In vitro fibril formation from alpha 1-antitrype Biol Chem Hoppe Seyler. 1995 Jul;376(7):415-23. PMID: 7576238 [PubMed - indexed for MEDLINE]	sin-derived C	-terminal peptides
□55	Looi LM.		Related A
	Fibrillary deposits: amyloids and tactoids. Malays J Pathol. 1995 Jun;17(1):1-10. Review. PMID: 8906998 [PubMed - indexed for MEDLINE]		
□ 56	: Tennent GA, Lovat LB, Pepys MB. Related Artic	les, Free in PN	MC, Cited in PMC, B
	Serum amyloid P component prevents proteol disease and systemic amyloidosis. Proc Natl Acad Sci U S A. 1995 May 9;92(10):4299-30 PMID: 7753801 [PubMed - indexed for MEDLINE]	•	nyloid fibrils of Al
□ 57	Yagui K, Yamaguchi T, Kanatsuka A, Shimada F, Hu Tokuyama Y, Ohsawa H, Yamamura K, Miyazaki J,	uang CI, Mikata A, et al.	Related Articles, B
	Formation of islet amyloid fibrils in beta-secre human islet amyloid polypeptide/amylin. Eur J Endocrinol. 1995 Apr;132(4):487-96. PMID: 7711888 [PubMed - indexed for MEDLINE]	etory granules	s of transgenic mic
□ 58	: Kisilevsky R, Lemieux LJ, Fraser PE, Kong X, Hultin WA.	n PG, Szarek	Related Articles, B
	Arresting amyloidosis in vivo using small-mo implications for Alzheimer's disease.	lecule anionio	c sulphonates or si
	Nat Med. 1995 Feb;1(2):143-8. PMID: 7585011 [PubMed - indexed for MEDLINE]		
□59	: Topper R, Gehrmann J, Banati R, Schwarz M, Block Kreutzberg GW.	F, Noth J,	Related Articles, B
	Rapid appearance of beta-amyloid precursor p following excitotoxic brain injury.	rotein immur	noreactivity in glia

Acta Neuropathol (Berl). 1995;89(1):23-8.

PMID: 7709727 [PubMed - indexed for MEDLINE]

Tamaoka A, Odaka A, Ishibashi Y, Usami M, Sahara Related Articles, Cited in PMC, B N, Suzuki N, Nukina N, Mizusawa H, Shoji S, Kanazawa I, et al.

APP717 missense mutation affects the ratio of amyloid beta protein species (1-42/43 and a beta 1-40) in familial Alzheimer's disease brain.

J Biol Chem. 1994 Dec 30;269(52):32721-4.

PMID: 7806491 [PubMed - indexed for MEDLINE]

61: Fraser PE, McLachlan DR, Surewicz WK, Mizzen CA, Snow AD, Nguyen JT, Kirschner DA.

Related Articles, Cited in PMC, B

Conformation and fibrillogenesis of Alzheimer A beta peptides with selected of charged residues.

J Mol Biol. 1994 Nov 18;244(1):64-73.

PMID: 7966323 [PubMed - indexed for MEDLINE]

☐ 62: Soreghan B, Kosmoski J, Glabe C.

Related Articles, Cited in PMC, B

Surfactant properties of Alzheimer's A beta peptides and the mechanism of a aggregation.

J Biol Chem. 1994 Nov 18;269(46):28551-4.

PMID: 7961799 [PubMed - indexed for MEDLINE]

☐ 63: Gruys E, Snel FW.

Related Articles, B

Animal models for reactive amyloidosis.

Baillieres Clin Rheumatol. 1994 Aug;8(3):599-611. Review.

PMID: 7954864 [PubMed - indexed for MEDLINE]

64: Ghiso J, Gardella JE, Liem L, Gorevic PD, Frangione B.

Related Articles, B

Characterization of a novel processing pathway for Alzheimer's amyloid beta protein.

Neurosci Lett. 1994 Apr 25;171(1-2):213-6.

PMID: 8084490 [PubMed - indexed for MEDLINE]

165: Husby G, Stenstad T, Magnus JH, Sletten K, Nordvag BY, Marhaug Related Articles, B G.

Interaction between circulating amyloid fibril protein precursors and extracel matrix components in the pathogenesis of systemic amyloidosis.

Clin Immunol Immunopathol. 1994 Jan;70(1):2-9.

PMID: 8261664 [PubMed - indexed for MEDLINE]

Hoppener JW, Oosterwijk C, van Hulst KL, Verbeek JS, Capel PJ, de Koning EJ, Clark A, Jansz HS, Lips CJ.

Related Articles, OMIM, B

Molecular physiology of the islet amyloid polypeptide (IAPP)/amylin gene in and transgenic mice.

J Cell Biochem. 1994;55 Suppl:39-53. Review.

PMID: 7929617 [PubMed - indexed for MEDLINE]

☐ **67**: Sipe JD.

Related Articles, Cited in PMC, B

Amyloidosis.

Crit Rev Clin Lab Sci. 1994;31(4):325-54. Review.

PMID: 7888076 [PubMed - indexed for MEDLINE]

168: Liepnieks JJ, Ghetti B, Farlow M, Roses AD, Related Articles, Domains, Protein, B Benson MD. Characterization of amyloid fibril beta-peptide in familial Alzheimer's diseas-APP717 mutations. Biochem Biophys Res Commun. 1993 Dec 15;197(2):386-92. PMID: 8267572 [PubMed - indexed for MEDLINE] 169: Buee L, Ding W, Anderson JP, Narindrasorasak S, Kisilevsky R, Related Articles, B Boyle NJ, Robakis NK, Delacourte A, Greenberg B, Fillit HM. Binding of vascular heparan sulfate proteoglycan to Alzheimer's amyloid preis mediated in part by the N-terminal region of A4 peptide. Brain Res. 1993 Nov 12;627(2):199-204. PMID: 8298962 [PubMed - indexed for MEDLINE] 70: Caputo CB, Sobel IR, Sygowski LA, Lampe RA, Spreen RC. Related Articles, B The influence of amino acid sequence on the fibrillogenicity and amyloidoge. carboxy-terminus of beta-amyloid precursor protein. Arch Biochem Biophys. 1993 Nov 1;306(2):321-30. PMID: 8215431 [PubMed - indexed for MEDLINE] 71: Eulitz M, Linke RP. Related Articles, Protein, B The precursor molecule of a V lambda II-immunoglobulin light chain-derived fibril protein circulates precleaved. Biochem Biophys Res Commun. 1993 Aug 16;194(3):1427-34. PMID: 8352801 [PubMed - indexed for MEDLINE] 172: Fraser PE, Nguyen JT, McLachlan DR, Abraham CR, Related Articles, Cited in PMC, B Kirschner DA. Alpha 1-antichymotrypsin binding to Alzheimer A beta peptides is sequence induces fibril disaggregation in vitro. J Neurochem. 1993 Jul;61(1):298-305. PMID: 8515277 [PubMed - indexed for MEDLINE] ☐ 73: [No authors listed] Related Articles, Cited in PMC, B [Nomenclature of amyloid and amyloidosis. WHO-IUIS Nomenclature Sub-(Bull World Health Organ. 1993;71(1):105-12. PMID: 8440029 [PubMed - indexed for MEDLINE] 74: Baba S, Takahashi T, Kasama T, Shirasawa H. Related Articles, Protein, B Identification of two novel amyloid A protein subsets coexisting in an individ of AA-amyloidosis. Biochim Biophys Acta. 1992 Dec 10;1180(2):195-200. PMID: 1463770 [PubMed - indexed for MEDLINE] **75:** Caputo CB, Sygowski LA, Scott CW, Sobel IR. Related Articles, B Role of tau in the polymerization of peptides from beta-amyloid precursor pro-Brain Res. 1992 Dec 4;597(2):227-32. PMID: 1472995 [PubMed - indexed for MEDLINE]

☐ 76: Husby G. Related Articles, B Amyloidosis. Semin Arthritis Rheum. 1992 Oct;22(2):67-82. Review. PMID: 1439845 [PubMed - indexed for MEDLINE] 77: Cornwell GG 3rd, Westermark GT, Pitkanen P, Westermark P. Related Articles, B Seminal vesicle amyloid: the first example of exocrine cell origin of an amylo precursor. J Pathol. 1992 Jul;167(3):297-303. PMID: 1517901 [PubMed - indexed for MEDLINE] 178: Murrell J, Farlow M. Related Articles, Nucleotide, Protein, OMIM, Cited in PMC, B Ghetti B, Benson MD. A mutation in the amyloid precursor protein associated with hereditary Alzhe Science. 1991 Oct 4;254(5028):97-9. PMID: 1925564 [PubMed - indexed for MEDLINE] 79: Wisniewski T, Ghiso J, Frangione B. Related Articles, B Peptides homologous to the amyloid protein of Alzheimer's disease containing glutamine for glutamic acid substitution have accelerated amyloid fibril form Biochem Biophys Res Commun. 1991 Sep 30;179(3):1247-54. PMID: 1681804 [PubMed - indexed for MEDLINE] 80: Ko LW, Sheu KF, Blass JP. Related Articles, B Immunohistochemical colocalization of amyloid precursor protein with cereb amyloid of Alzheimer's disease. Am J Pathol. 1991 Sep;139(3):523-33. PMID: 1716044 [PubMed - indexed for MEDLINE] 181: el Hachimi KH, Verga L, Giaccone G, Tagliavini F, Frangione B, Related Articles, B Bugiani O, Foncin JF. Relationship between non-fibrillary amyloid precursors and cell processes in neuropil of Alzheimer patients. Neurosci Lett. 1991 Aug 5;129(1):119-22. PMID: 1922961 [PubMed - indexed for MEDLINE] 82: Fraser PE, Duffy LK, O'Malley MB, Nguyen J, Related Articles, Cited in PMC, B Inouye H, Kirschner DA. Morphology and antibody recognition of synthetic beta-amyloid peptides. J Neurosci Res. 1991 Apr;28(4):474-85. PMID: 1908024 [PubMed - indexed for MEDLINE] ■ 83: Ushiyama M, Ikeda S, Yanagisawa N. Related Articles, B Transthyretin-type cerebral amyloid angiopathy in type I familial amyloid pol Acta Neuropathol (Berl). 1991;81(5):524-8. PMID: 1858483 [PubMed - indexed for MEDLINE] ■ 84: Dammacco F. Related Articles, B Amyloidosis: clinical picture, immunological and biomolecular features, trea prospects.

Ann Ital Med Int. 1991 Jan-Mar;6(1 Pt 2):107-16. Review. PMID: 1742146 [PubMed - indexed for MEDLINE]

■85: Maruyama K, Terakado K, Usami M, Yoshikawa K. Related Articles, Cited in PMC, B Formation of amyloid-like fibrils in COS cells overexpressing part of the Alz amyloid protein precursor.

Nature. 1990 Oct 11;347(6293):566-9.

PMID: 1977086 [PubMed - indexed for MEDLINE]

Westermark P, Engstrom U, Johnson KH, Westermark GT, Betsholtz C.

Related Articles, OMIM, Free in PMC, Cited in PMC, B

Islet amyloid polypeptide: pinpointing amino acid residues linked to amyloid formation.

Proc Natl Acad Sci U S A. 1990 Jul;87(13):5036-40. PMID: 2195544 [PubMed - indexed for MEDLINE]

☐ 87: Glenner GG.

Related Articles, B

Amyloid beta protein and the basis for Alzheimer's disease.

Prog Clin Biol Res. 1989;317:857-68. Review.

PMID: 2690126 [PubMed - indexed for MEDLINE]

188: Kluve-Beckerman B, Dwulet FE, Related Articles, Domains, Nucleotide, Protein, B Benson MD.

Human serum amyloid A. Three hepatic mRNAs and the corresponding prote person.

J Clin Invest. 1988 Nov;82(5):1670-5.

PMID: 3183061 [PubMed - indexed for MEDLINE]

■ 89: Gorevic PD, Castano EM, Sarma R, Frangione B. Related Articles, Cited in PMC, B

Ten to fourteen residue peptides of Alzheimer's disease protein are sufficient fibril formation and its characteristic x-ray diffraction pattern.

Biochem Biophys Res Commun. 1987 Sep 15;147(2):854-62.

PMID: 3307786 [PubMed - indexed for MEDLINE]

90: Kang J. Lemaire Related Articles, Domains, Nucleotide, Protein, OMIM, Cited in PMC, B

HG,

Unterbeck

A, Salbaum

JM,

Masters

CL,

Grzeschik

KH,

Multhaup

G,

Beyreuther

<u>K,</u>

Muller-Hill

<u>B</u>.

The precursor of Alzheimer's disease amyloid A4 protein resembles a cell-sur receptor.

Nature. 1987 Feb 19-25;325(6106):733-6.

PMID: 2881207 [PubMed - indexed for MEDLINE]

□ 91: Cohen AS, Connors LH.

Related Articles, Cited in PMC, B

The pathogenesis and biochemistry of amyloidosis.

J Pathol. 1987 Jan;151(1):1-10. Review.

PMID: 3550020 [PubMed - indexed for MEDLINE]

92: Sipe JD, McAdam KP, Torain BF, Glenner GG.

Related Articles, B

Conformational flexibility of the serum amyloid precursor SAA.

Br J Exp Pathol. 1976 Oct;57(5):582-92.

PMID: 999792 [PubMed - indexed for MEDLINE]



Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

សន់ទីក្នុងភាព កម្មាធិក